
FLEX+ SAFETY GATE

Find Me Online:








mccue.com • cservices@mccue.com

PERFORMANCE BY DESIGN

Protection and access, designed to work as one.

The FLEX+ Safety Gate creates a protective barrier across openings without getting in the way of daily operations. Built to match the FLEX+ barrier system, the Safety Gate brings clean, modern protection to loading docks, traffic lanes, equipment areas and other access points throughout the facility.



OPENS VERTICALLY. STAYS OUT OF THE WAY.

Upright travel keeps the opening and surrounding floor clear.




LIGHT TO LIFT. CONTROLLED TO CLOSE.

Lift-assist technology keeps operation effortless and controlled.

CLOSES THE GAP IN PROTECTION

Impact-tested barrier performance for people, equipment and infrastructure.



IMPACT TESTED





FIELD TESTED



BUILT FOR BETTER FACILITIES


Safety, ergonomics and design brought together in one gate.

IMPACT TEST RESULTS

Documented performance from standardized testing.


MIDSPAN ENERGY ABSORPTION AT 90°
5,247 J

MIDSPAN DYNAMIC PENETRATION
27.0″ | **686** mm



UPRIGHT ENERGY ABSORPTION AT 90°
7,050 J

UPRIGHT DYNAMIC PENETRATION
9.88″ | **251** mm



ENERGY EQUIVALENCE BY EQUIPMENT TYPE

½ MASS X VELOCITY^2 = ENERGY

Values shown reflect the kinetic energy of real equipment impacts.



ELECTRIC PALLET JACK

MASS & VELOCITY	
IMPERIAL	**3,000** lb **6.21** mph
METRIC	**1,361** kg **10.00** km/h



WALKIE RIDER


MASS & VELOCITY	
IMPERIAL	**6,000** lb **4.39** mph
METRIC	**2,722** kg **7.07** km/h




FORKLIFT

MASS & VELOCITY	
IMPERIAL	**10,000** lb **3.40** mph
METRIC	**4,536** kg **5.48** km/h

IMPACT TESTED







SCAN TO SEE THE TESTING FOOTAGE

MATERIAL PROPERTIES

	Working Temperatures	32°F-130°F (0°C-54°C)
	Flammability	Does Not Easily Ignite

	Toxicity	Not Hazardous
	Recyclability	Fully Recyclable

mccue.com • cservices@mccue.com


PRODUCT SPECIFICATIONS
& PURCHASING YOUR PRODUCT


FLEX+ SAFETY GATE 72″

PART #: FSG-K-072-307

Hardware included.

ANCHOR DETAIL







FLEX+ SAFETY GATE 96″

PART #: FSG-K-096-307

Hardware included.

ANCHOR DETAIL





FLEX+ SAFETY GATE 120″

PART #: FSG-K-120-307

Hardware included.

ANCHOR DETAIL

